EAST Search History

L45	3	"6721851".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:08
L46	3	SAN and backup and (re-map$3) and (configuration near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:10
L47	3	SAN and backup$3 and (re-map$3) and (configuration near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:10
L48	17	SAN and backup$3 and (re-map$3) and (configuration)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:11
L49	0	SAN and (re-map$3) and ((compare or match$3) same (configuration near2 identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:11
L50	2	SAN and backup$ and ((compare or match$3) same (configuration near2 identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:12
L51	24	SAN and backup$ and ((configuration near2 identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:26
L52	6025	707/200 or 707/204 or 707/205	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:26
L53	26	52 and ((object-oriented) same DBMS)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:30
L54	5	52 and ((object-oriented) same DBMS) and (stored near2 procedure)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:30

L55	5	52 and ((object-oriented) same DBMS) and (stored near2 procedure) and table	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:30
L56	5	52 and ((object-oriented) same DBMS) and (stored near2 procedure) and tables	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:30
L57	49	52 and (managed near2 object) and notification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:31
L58	4	52 and (managed near2 object) and notification and (convert$3 with object)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:31

Google

Web   Images   Groups   News   Froogle   Local   **more »**

storing states in a managed object having tabl | Search | Advanced Search
Preferences

Web   Results 1 - 10 of about 30,000,000 for <u>storing</u> <u>states</u> in a <u>managed</u> <u>object</u> <u>having</u> <u>tables</u>. (0.41 seconds)

Getting Started With Java Data **Objects** (JDO): A Standard Mechanism ...
Table 1 shows the 10 **states** defined by the JDO specification. The first seven **states** are ...
It updates the **state** of the **object** from Transient to Hollow : ...
java.sun.com/developer/technicalArticles/J2SE/jdo/ - 43k - Cached - Similar pages

S
In WMI, a collection of class definitions that describe **managed objects** in a ... Session
state. In ASP.NET, a variable **store** created on the server for the ...
msdn2.microsoft.com/en-us/library/c83eyewf.aspx - 27k - Cached - Similar pages

> Row Versioning Resource Usage
> Returns a virtual **table** for the **objects** producing the most versions in the version **store**.
> It groups the top 256 aggregated record lengths by database_id and ...
> msdn2.microsoft.com/en-us/library/ms175492.aspx - 34k - Cached - Similar pages

Microsoft ASP.NET QuickStarts Tutorial
If you are only **storing** small amounts of volatile data in session **state** you ... Avoid
excessive server control view **state**: Automatic **state management** is a ...
samples.gotdotnet.com/quickstart/ aspplus/doc/perftuning.aspx - 25k -
Cached - Similar pages

> Microsoft ASP.NET QuickStarts Tutorial
> The DefaultView property represents the current **state** of a **table** within a ... there is no
> benefit to **having** the DataGrid **store state** information to be sent ...
> samples.gotdotnet.com/quickstart/ aspplus/doc/webdataaccess.aspx - 63k -
> Cached - Similar pages

Web Connection Demo Page
The Session **object** allows **storing** of dynamic variables which are persisted across
requests. Data is stored in a **table** which can be extended to match your ...
www.west-wind.com/wconnect/ - 26k - Cached - Similar pages

DB2 Universal Database
View historical **storage** information for all **objects** in the **storage management** view ·
Automatic maintenance available when creating a database ...
publib.boulder.ibm.com/infocenter/db2help/index.jsp - 101k - Cached - Similar pages

FacetsODB :: **Object** Database for Java
Object databases on the other hand support and **manage** the most complex data ...
Conversely in an RDBMS, because the unit of **storage** is the **table** rather than ...
www.facetsodb.com/web/ documentation/makingTheSwitch.html - 19k -
Cached - Similar pages

EP631232 Microsoft european software patent - Integration of ...
In a distributed system **having** at least one memory device, ... **storing** the internal **state** of
the **managed** component as part of an **object** in one of the memory ...
gauss.ffii.org/PatentView/EP631232 - 48k - Cached - Similar pages

EOEditingContext Concepts
Other Classes That Participate in **Object** Graph **Management** ... Thus, the application can
store state very efficiently by letting an EOEditingContext archive ...
developer.apple.com/.../Reference/API/com/
web**objects**/eocontrol/concepts/EOEditingContextConcepts.html - 33k -
Cached - Similar pages

Try your search again on <u>Google Book Search</u>

Goooooooooogle ▶

Result Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   <u>**Next**</u>

Info when you want it, right on your desktop
Free! <u>Download Google Desktop</u>

| storing states in a managed object h | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google